

Pass4sure.C_GRCAC_10.80.QA

Number: C_GRCAC_10
Passing Score: 800
Time Limit: 120 min
File Version: 9.3



<http://www.gratisexam.com/>

PASS**4**SURE

C_GRCAC_10

*SAP Certified Application Associate - SAP BusinessObjects
Access Control 10.0*

- * I prepared with this practice test question and answers, which are a really good source of practice.
 - * I learnt to manage my time and I knew the kind of questions to expect in the exam as well.
 - * Guaranteed 100 percent Success at this VCE with Real Questions and their Verified Answers.
 - * Dump has everything that is not available in traditional study guides.
- * It also helped me recognize my areas of strengths and weaknesses so that I could work upon them accordingly and scored highest.
 - * Just study and pass for sure. Good Luck :)

Exam A

QUESTION 1

Where can you define a mitigating control? (Choose three)

- A. In the mitigating controls workset in Access Control
- B. In the rule setup in Access Control
- C. In the Access Control risk analysis result screen
- D. In the central process hierarchy in Process Control
- E. In the activity setup in Risk Management

Correct Answer: ACD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 2

You have created a new end-user personalization (EUP) form.

Where can you make use of this EUP form? (Choose two)

- A. In a stage configuration of a workflow
- B. In an organizational assignment request
- C. In a template-based request
- D. In a model user request

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 3

Your customer wants to eliminate false positives from their risk analysis results. How must you configure Access Control to include organizational value checks when performing a risk analysis? (Choose two)

- A. Configure organization rules for each relevant function.
- B. Update the functions that contain each relevant action by activating the fields for the required permissions and maintaining a value for each specific organization.
- C. Configure organization rules for each relevant risk.
- D. Update the functions that contain each relevant action by activating the fields for the required permissions.
- E. Configure organization level system parameters to incorporate all organization levels for each relevant risk.

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 4

You have maintained an end-user personalization (EUP) form and set a particular field as mandatory.

Which additional field attribute settings are required? (Choose two)

- A. The field attribute Visible must be set to "Yes".
- B. A default value must be maintained for the field.
- C. The field attribute Editable must be set to "Yes".
- D. The field attribute Visible must be set to "No".
- E. The field attribute Editable must be set to "No".

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 5

You want to maintain roles using Business Role Management.

How do you import the roles from the back-end system?



<http://www.gratisexam.com/>

- A. Use an SAP transport.
- B. Execute the Role Import background job directly in the back-end system.
- C. Use the standard import template.
- D. Execute the Role Repository Sync program.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 6

Which configuration parameters determine the content of the log generated by the SPM Log Synch job? (Choose three)

- A. Enable Risk Change log (1002)
- B. Enable Authorization Logging (1100)
- C. Retrieve System log (4004)
- D. Retrieve OS Command log (4006)
- E. Retrieve Audit log (4005)

Correct Answer: CDE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 7

Which activity can you perform when you use the Test and Generate options in transaction MSMP Rule Generation/Testing (GRFNMW_DEV_RULES)?

- A. Generate and activate a BRFPplus flat rule for workflow-related rules.
- B. Create a rule type for workflow-related rules.
- C. Create an MSMP process ID for workflow-related rules.
- D. Generate and activate function modules for workflow-related rules.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 8

Your customer has created a custom transaction code ZFB10N by copying transaction FB10 and implementing a user exit.

How can you incorporate the customer enhancement into the global rule set so that it will be available for Risk Analysis?

- A. Update security permissions in all relevant authorization objects, maintain the custom program name in all relevant functions, and generate the access rules.
- B. Update all relevant functions with ZFB10N, maintain the permission values for all relevant authorization objects, and generate the access rules.
- C. Update all relevant functions with ZFB10N, maintain the permission values in the relevant access risk, and generate the global rule set.
- D. Update the relevant access risk with ZFB10N, maintain access rules in all relevant functions, and generate the global rule set.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 9

What is the purpose of role mining?

- A. To consolidate roles by taking actions after running comparisons
- B. To compare authorizations by merging roles during the back-end synchronization
- C. To consolidate authorizations by merging roles in one step
- D. To compare roles by running back-end synchronizations

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 10

Which of the following attributes are mandatory when creating business role definition details in Business Role Management? (Choose three)

- A. Functional Area
- B. Company
- C. Landscape
- D. Project Release
- E. Application Type

Correct Answer: CDE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 11

What information is available in the audit trail log for access rules? (Choose two)

- A. Which terminal ID the change was made from
- B. When the change was made
- C. Who made the change
- D. Who approved the change

Correct Answer: BC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 12

For which purpose can you use organizational value mapping?

- A. To maintain derived roles with organizational units
- B. To group roles by organization
- C. To maintain composite roles with organizational units
- D. To group users by organization

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 13

Which of the following role provisioning types does Access Control user provisioning support? (Choose three)

- A. Direct
- B. Indirect
- C. Auto-provisioning at end of request
- D. No provisioning
- E. Combined

Correct Answer: ABE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 14

Which reviewers can you select using the Access Control configuration parameter 2006 (Who are the reviewers) for user access review (UAR)? (Choose two)

- A. MANAGER
- B. ROLE OWNER
- C. RISK OWNER
- D. SECURITY LEAD
- E. APPROVER

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

QUESTION 15

Which of the following are rule types used in MSMP workflow? (Choose three)

- A. Web Service rule
- B. ABAP Class-Based rule
- C. Function Module-Based rule
- D. BRFplus rule
- E. ABAP User Exit-Based rule

Correct Answer: BCD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 16

How do you manually replicate initiators from a previous version of Access Control so they can be used in BRFplus and a MSMP workflow?

- A. Create multiple initiator rules and assign them to a process ID containing different detour path assignments.
- B. Create an initiator rule and assign it to multiple process IDs.
- C. Create multiple initiator rules and assign them to a process ID.
- D. Create an initiator rule and assign it to a process ID.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 17

For what purpose can you use the Role Status attribute in Business Role Management?

- A. To organize the authorization structure for your company
- B. To indicate that a role is relevant for a specific project
- C. To restrict the roles available for user access requests
- D. To define how essential a role might be for your company

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 18

What does an agent rule determine?

- A. The workflow initiator to be executed
- B. The workflow detour routing to be executed
- C. The available variables to be used in notifications
- D. The approvers/recipients for the workflow

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 19

For which of the following scenarios would you activate the end-user logon function?

- A. A user has no access to the Access Control system and needs to submit a request for access.
- B. A user has been promoted to manager and needs to log on to the Access Control system to approve a pending request.
- C. A user has successfully completed validation testing.
- D. A user has signed a non-disclosure agreement (NDA).

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 20

You need to create an access request workflow for a role assignment that will have two or three approval steps, depending on the role criticality level.

Which type of rule do you use?

- A. BRFplus Flat rule
- B. MSMP Notification rule
- C. MSMP Agent rule
- D. BRFplus rule

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 21

You have activated the MSMP workflow Business Configuration (BC) Sets delivered by SAP. However, your customer requires a four-stage workflow for the Access Request process to include an approval by the system owner.

How do you achieve this?

- A. Define a custom notification template and assign it to the corresponding BRFplus Flat rule.
- B. Deactivate the standard BC Set and create a custom BC Set.
- C. Create an additional stage and define the appropriate agent rule.
- D. Use an existing agent rule and remove one stage.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 22

How do you enable stage configuration changes to become effective after a workflow has been initiated?

- A. Activate the Path Reroute indicator.
- B. Activate the Path Override Assignment Type indicator.
- C. Activate the Path Reval New Role (Revaluation) indicator.
- D. Activate the Runtime Configuration Changes OK indicator.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Valid.

QUESTION 23

You have created an agent rule in BRFplus. Which additional configurations do you have to perform to use this agent rule in a workflow? (Choose two)

- A. Define agents and their purposes.
- B. Maintain workflow route mappings.
- C. Link the rule to the appropriate process ID.
- D. Define notification variables.

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 24

Which indirect provisioning types are supported in user provisioning? (Choose three)

- A. Organization Type
- B. Job
- C. Position
- D. Holder

E. User

Correct Answer: ABC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 25

Which agent purposes are available in MSMP workflow? (Choose two)

- A. Approval
- B. Notification
- C. Forwarding
- D. Routing
- E. Rejection

Correct Answer: AB

Section: (none)

Explanation

Explanation/Reference:

QUESTION 26

Which of the following objects can you customize for MSMP workflows? (Choose two)

- A. Multiple initiator rule IDs for one process ID
- B. Multiple paths for one process ID
- C. Multiple agent IDs for one stage
- D. Multiple notification templates for one process ID

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 27

Which of the following owner types must be assigned to a user to receive the notification that a log report has been generated as the result of a Firefighter session?

- A. Mitigation approver
- B. Firefighter ID owner
- C. Firefighter ID controller
- D. Firefighter role owner

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 28

How are lines and columns linked in a BRFplus initiator decision table?

- A. A column to a column through a logical OR
- B. A column to a line through a logical OR
- C. A column to a column through a logical AND
- D. A line to a line through a logical AND

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 29

You want to create a connector to an SAP ERP client. You must therefore define the technical parameters for the Remote Function Call (RFC) destination. What does SAP recommend regarding the name of the RFC destination?

- A. The RFC destination name must begin with the prefix "GRC".
- B. The RFC destination name must be the same as the logical system name.
- C. The RFC destination name must include the installation number of the destination system.
- D. The RFC destination name must include the IP address of the target destination.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 30

What are Business Configuration (BC) Sets for Access Control? (Choose two)

- A. A collection of configuration settings designed to populate SAP tables with content
- B. A set of system parameter settings
- C. A collection of configuration settings designed to populate custom-defined tables with content
- D. A set of predefined Customizing settings

Correct Answer: AD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 31

What must you define in order to analyze user access for a critical transaction?

- A. A critical mitigation control
- B. A critical role
- C. A critical profile
- D. A critical access rule

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 32

Which prerequisites must be fulfilled if you want to create a technical role using Business Role Management? (Choose two)

- A. The role methodology must be defined.
- B. Organizational level mapping must be created.
- C. Role attributes such as business process and subprocess must be defined.
- D. The workflow approval path and relevant approvers must be defined.
- E. Access risk rules must be generated.

Correct Answer: AC

Section: (none)

Explanation

Explanation/Reference:

Corrected.

QUESTION 33

Which of the following actions in Business Role Management require a connection to a target system? (Choose three)

- A. Generation
- B. Authorization maintenance (actions and permissions)
- C. Risk analysis
- D. Approval
- E. Testing

Correct Answer: ABC

Section: (none)

Explanation

Explanation/Reference:

QUESTION 34

Which of the following IMG activities are common component settings shared across GRC? (Choose three)

- A. Maintain plug-in settings.
- B. Maintain connection settings.
- C. Maintain mapping for actions and connector groups.
- D. Define a connector.

E. Assign a connector to a connector group.

Correct Answer: BDE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 35

What does assigning the Logical Group (SOD-LOG) type to a connector group allow you to do?

- A. Run a cross-system analysis.
- B. Use the connector group for transports to the target system.
- C. Monitor the target system.
- D. Use the connector group as a business role management landscape.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 36

You have set up your Firefighter IDs in the target system.

Which of the following jobs do you have to run to synchronize these IDs and their role assignments with the Access Control system?



<http://www.gratisexam.com/>

- A. GRAC_SPM_WORKFLOW_SYNC
- B. GRAC_REPOSITORY_OBJECT_SYNC

- C. GRAC_SUPER_USER_MGMT_USER
- D. GRAC_PFCG_AUTHORIZATION_SYNC

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 37

What do you mitigate using Access Control?

- A. Roles
- B. Users
- C. Risks
- D. Functions

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 38

What information must you specify first when you copy a user access request?

- A. User ID
- B. System ID
- C. Role
- D. Request number

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 39

Which integration scenarios are specific to Access Control? (Choose three)

- A. Provisioning (PROV)
- B. Risk Management (RMGM)
- C. Superuser Privilege Management (SUPMG)
- D. Automatic Monitoring (AM)
- E. Authorization Management (AUTH)

Correct Answer: ACE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 40

You have identified some risks that need to be defined as cross-system risks. How do you configure your system to enable cross-system risk analysis?

- A. 1. Set the analysis scope of the function to cross-system. 2. Create cross-system type connectors. 3. Assign the corresponding connectors to the appropriate connector group. 4. Generate rules.
- B. 1. Set the analysis scope of the risk to cross-system. 2. Create cross-system type connectors. 3. Assign the corresponding connectors to the appropriate connector group. 4. Generate rules.
- C. 1. Set the analysis scope of the risk to cross-system. 2. Create a cross-system type connector group. 3. Assign the corresponding connectors to the connector group. 4. Generate rules.
- D. 1. Set the analysis scope of the function to cross-system. 2. Create a cross-system type connector group. 3. Assign the corresponding connectors to the connector group. 4. Generate rules.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 41

Your customer wants to adapt their rule set to include custom programs from their SAP ERP production system. How do you ensure that the custom programs can be maintained properly in the rule set? (Choose three)

- A. Maintain all relevant authorization objects and the associated default field values in transaction SU24 in the GRC system.
- B. Synchronize SU24 data for use in Access Control Function maintenance using transaction GRAC_AUTH_SYNC.
- C. Synchronize SU24 data for use in Access Control Function maintenance using transaction GRAC_REP_OBJ_SYNC.
- D. Maintain all relevant authorization objects and the associated default field values in transaction SU24 in the SAP ERP system.
- E. Create a custom transaction code for each customer program using transaction SE93 in the SAP ERP system.

Correct Answer: BDE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 42

Which auto-provisioning options are available in the global provisioning configuration? (Choose three)

- A. Manual Provisioning
- B. Indirect Provisioning
- C. Auto-Provision at End of Request
- D. No Provisioning
- E. Combined Provisioning

Correct Answer: ACD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 43

Which tasks must you perform to enable a user to begin a central Firefighter session? (Choose three)

- A. Create a user ID for the Firefighter in the target system.
- B. Assign an owner to the Firefighter.
- C. Maintain Firefighter ID owners in Access Control owners.
- D. Maintain reason codes in Superuser Maintenance.
- E. Assign a controller and a Firefighter to a Firefighter ID.

Correct Answer: CDE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 44

What data is synchronized when you run the GRAC_REPOSITORY_OBJECT_SYNC report? (Choose three)

- A. Profiles
- B. Roles
- C. Role usage
- D. PFCG authorizations
- E. Users

Correct Answer: ABE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 45

You create a BRFPplus initiator rule for the Access Request approval workflow. Which standard request attribute that is listed as a header data object, as well as a line item data object, can you insert into a condition column?

- A. Location
- B. Business Process
- C. Department
- D. Priority

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 46

Why would you generate a new MSMP workflow version?

- A. To activate the stage configuration settings
- B. To deactivate parallel batch processing
- C. To delete the existing workflow configuration settings
- D. To change the process global settings

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 47

You want to synchronize the Access Control repository with data from various clients. In which sequence do you execute the synchronization jobs?

- A. 1. Repository Object Sync (profile, role, user) 2. PFCG Authorization Sync 3. Action Usage Sync
4. Role Usage Sync
- B. 1. PFCG Authorization Sync 2. Action Usage Sync 3. Role Usage Sync 4. Repository Object Sync (profile, role, user)
- C. 1. Repository Object Sync (profile, role, user) 2. Action Usage Sync 3. PFCG Authorization Sync
4. Role Usage Sync
- D. 1. PFCG Authorization Sync 2. Repository Object Sync (profile, role, user) 3. Action Usage Sync
4. Role Usage Sync

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 48

Which Access Control master data is shared with Process Control and Risk Management?

- A. Access risk master data
- B. Organizational master data

- C. Business process master data
- D. Subprocess master data

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 49

Which of the following objects can you maintain in the "Maintain Paths" work area of MSMP workflow configuration? (Choose three)

- A. Paths
- B. Path versions
- C. Rules for path mappings
- D. Stage notification settings
- E. Stages

Correct Answer: ADE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 50

For what purpose can you use the Display Revw Screen setting in MSMP Stage Details?

- A. To view the rule result
- B. To view the stage configuration
- C. To view the initiator rule
- D. To view the access request

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 51

How do you enable the Access Control audit trail function for access rules?

- A. Activate the relevant configuration parameter using the Customizing Edit Project (SPRO) transaction.
- B. Activate the table logging parameter using the Profile Parameter Maintenance (RZ11) transaction.
- C. Activate table logging using the Table History (SCU3) transaction.
- D. Activate the security audit log using the Security Audit Configuration (SM19) transaction.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 52

Which process steps should you perform when you define a workflow-related MSMP rule? (Choose two)

- A. Save a bottom expression.
- B. Select a result data object.
- C. Select result parameters.
- D. Save condition parameters.

Correct Answer: BD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 53

Which of the following jobs do you have to schedule to collect Firefighter session information?

- A. GRAC_SPM_LOG_ARCHIVING
- B. GRAC_SPM_WORKFLOW_SYNC
- C. GRAC_SPM_LOG_SYNC_UPDATE
- D. GRAC_SPM_CLEANUP

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 54

You define a background job using transaction SM36. Which of the following options are start conditions you can use to schedule the background job to run periodically? (Choose two)

- A. Step
- B. Class
- C. Date/Time
- D. Immediate

Correct Answer: CD

Section: (none)

Explanation

Explanation/Reference:



<http://www.gratisexam.com/>

QUESTION 55

Which transaction do you use to access the general Customizing activities for Access Control?

- A. MSMP Workflow Configuration (GRFNMW_CONFIGURE)
- B. Customizing Edit Project (SPRO)
- C. Launchpad Customizing (LPD_CUST)
- D. Call View Maintenance (SM30)

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

Modified.

QUESTION 56

What is a mandatory prerequisite for creating business roles in Business Role Management?

- A. A condition group must be created.
- B. A role methodology must exist.
- C. A workflow approval must be configured.
- D. A role naming convention must be defined.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 57

Your customer wants a manager to fulfill both MSMP workflow agent purposes.

How do you configure this?

- A. Maintain the manager agent twice, once for each purpose, using the same agent ID.
- B. Maintain the manager agent once and assign both purposes to it without using an agent ID.
- C. Maintain the manager agent twice, once for each purpose, using different agent IDs.
- D. Maintain the manager agent once and assign both purposes to it using the same agent ID.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 58

Which transaction can you use to customize notification templates?

- A. Change Documentation (SII1)
- B. SAP Documentation (SE61)
- C. Message Maintenance (SE91)
- D. Documentation Message Types (WE64)

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 59

What is the purpose of a mitigating control?

- A. To control the access that is allowed to be assigned to a role
- B. To determine which users are allowed to access the system
- C. To assign a compensating control to a risk
- D. To limit the access that is allowed to be assigned to a user

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 60

Which BRFplus object is used as a container for all other BRFplus objects?

- A. Expression
- B. Condition Group
- C. Application
- D. Function

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 61

You maintain rules in the BRFplus framework. For which rule kind can you activate the "Return all matches found" option for the decision table?

- A. GRC API rule
- B. Agent rule
- C. Routing rule
- D. Initiator rule

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 62

Which objects must you activate when you create a BRFplus Routing rule? (Choose three)

- A. Initiator Flat Rule
- B. Function
- C. Application
- D. Decision Table
- E. Result Column

Correct Answer: BCD

Section: (none)

Explanation

Explanation/Reference:

QUESTION 63

You want to update two authorizations that are shared across multiple roles. How do you accomplish this most efficiently?

- A. Update each authorization in all roles in two mass role update sessions.
- B. Update each authorization in one role in multiple mass role update sessions.
- C. Update both authorizations in all roles in one mass role update session.
- D. Update both authorizations in one role in multiple mass role update sessions.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 64

You want to make Risk Analysis mandatory before an approver submits a request.

How do you enable this in Access Control?

- A. Activate "Exclude objects for batch risk analysis" in the IMG.
- B. Set "Show all objects in risk analysis" (parameter ID 1036) to YES.
- C. Set "Enable risk analysis on form submission" (parameter ID 1071) to YES.
- D. Activate the corresponding MSMP stage task setting.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

Updated.

QUESTION 65

Which periodic review process allows a role owner to remove roles from the users?

- A. UAR Review
- B. SoD Review
- C. Firefighter Log Review
- D. Role Certification Review

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 66

You want to assign an owner when creating a mitigating control. However, you cannot find the user you want to assign as an owner in the list of available users.

What could be the reason?



<http://www.gratisexam.com/>

- A. The user is already assigned as an owner to another mitigating control.
- B. The workflow for creating a mitigating control has not yet been approved.
- C. The user is locked.
- D. The user has not been assigned as an owner in the organizational hierarchy.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 67

Which report types require the execution of batch risk analysis? (Choose two)

- A. Ad-hoc risk analysis reports
- B. Offline risk analysis reports
- C. User level simulation reports
- D. Access rules detail reports

E. User and role analysis dashboards

Correct Answer: BE

Section: (none)

Explanation

Explanation/Reference:

QUESTION 68

Which of the following tasks must you perform if you want to enable a user to log on to a Firefighter ID?

- A. Schedule the Firefighter Workflow Sync job periodically.
- B. Run the Firefighter Log Sync job.
- C. Set up the Firefighter log configuration parameters.
- D. Create a reason code.

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 69

Which of the following is a feature of centralized Emergency Access Management?

- A. Reason codes are defined once and assigned per system.
- B. The Firefighter is required to log on to each target system to perform Firefighter activities.
- C. The Firefighter IDs are created centrally in Access Control.
- D. Administration, reporting, and Firefighter logon are performed on target systems.

Correct Answer: A

Section: (none)

Explanation

Explanation/Reference:

QUESTION 70

You have added a new stage to an existing path and set the approval type to "Any One Approver" (A in the attached screenshot). Now you set the approval type to "All Approvers" in the default stage details of the new stage (B in the attached screenshot).

The screenshot shows the 'Maintain Stages' interface. At the top, there are buttons for 'Add', 'Modify', 'Delete', 'Modify Task Settings', 'Notification Settings', and 'Clean-up Stage Def.'. Below this is a table with columns: Stage Seq. No., Stage Config ID, Stage Description, Agent ID, Approval Type, Routing Enabled, and Rule Type. The first row is highlighted in orange and contains: 001, GRAC_MANAGER, GRAC_MANAGER, GRAC_MANAGER, Any One Approver, Yes, and Function Module Based Rule. A red arrow points from the 'Modify Task Settings' button to the 'Stage Definition' dialog box.

The 'Stage Definition' dialog box has a 'Stage Details' section with the following fields:

- Stage Config ID: GRAC_MANAGER
- Agent ID: GRAC_MANAGER
- Approval Type: All Approvers (circled as B)
- Routing Enabled:
- Rule ID: GRAC_MSMP_DETOUR_SODVIOL
- Routing Level: Stage Level
- Escalation Type: No Escalation

Below the dialog box, the main form has the following fields:

- Stage Seq. No.: 001
- Stage Config ID: GRAC_MANAGER
- Stage Description: GRAC_MANAGER
- Agent ID: GRAC_MANAGER (Manager)
- Approval Type: Any One Approver (circled as A)
- Routing Enabled:
- Rule ID: GRAC_MSMP_DETOUR_SODVIOL (Additional approval if risks found)
- Routing Level: Stage Level
- Escalation Type: No Escalation

At the bottom of the main form are 'Save' and 'Cancel' buttons.

Which approval type will become effective?

- A. A and B
- B. None
- C. A
- D. B

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 71

How does SAP deliver updates to the standard rule set for Access Control?

- A. As BC sets in a Support Package that must be activated in the target system by the system administrator
- B. As attachments in an SAP Note that must be entered manually by the system administrator
- C. As XML files in an SAP Note that need to be uploaded by the system administrator
- D. As BC sets in a Support Package that are automatically activated when the Support Package is deployed

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 72

For which IMG object can you activate the password self-service (PSS) in Access Control?

- A. Logical system
- B. Connector
- C. Cross system
- D. Condition group

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 73

You are building a BRFplus Flat rule decision table for use with role provisioning and you want your result set to be derived using the role line item data. You must therefore configure the results column value for the LINE_ITEM_KEY key field.

Which field from the context query do you select to achieve this?

- A. ROLE_TYP
- B. ITEMNUM
- C. CRITLVL
- D. ROLE_NAME

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 74

Which connection type do you use for the RFC destination to establish a connection between GRC and an SAP ERP back-end system?

- A. Logical connection
- B. TCP/IP connection
- C. ABAP connection
- D. ABAP driver connection

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

Absolutely valid option.

QUESTION 75

Which task is mandatory for the successful generation of a workflow?

- A. Transport every generated workflow version.
- B. Correct errors prior to activating the workflow.
- C. Save the workflow version locally.
- D. Perform a workflow version simulation.

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:

QUESTION 76

Who approves the review of the periodic segregation of duties?

- A. Mitigation monitors
- B. Role owners
- C. Mitigation approvers
- D. Risk owners

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 77

You have updated authorization data for your roles in the target system using PFCG. You now want to synchronize the authorization data in Business Role Management without changing the existing role attributes. How do you accomplish this?

- A. Use the Role Import template.
- B. Use the Role Mass Update function.
- C. Use the Role Mining function.
- D. Use the Mass Role Generation function.

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 78

Which combination of rule kind and rule type determines the path upon submission of a request?

- A. Agent rule BRFplus Flat
- B. Routing rule BRFplus
- C. Initiator rule BRFplus
- D. Agent rule ABAP Class-Based

Correct Answer: C

Section: (none)

Explanation

Explanation/Reference:

QUESTION 79

Which transaction do you use to monitor background jobs in Access Control repository synchronization?

- A. Schedule Background Jobs (SM36)
- B. Test Background Processing (SBTA)
- C. Batch Input Monitoring (SM35)
- D. Overview of Job Selection (SM37)

Correct Answer: D

Section: (none)

Explanation

Explanation/Reference:

QUESTION 80

Which type of user account does an emergency access user need to log on to a Firefighter session using transaction GRAC_SPM?

- A. A user account in the User Management Engine (UME)
- B. A user account in the Access Control system
- C. A user account in the LDAP system
- D. A user account in the target system

Correct Answer: B

Section: (none)

Explanation

Explanation/Reference:



<http://www.gratisexam.com/>